

IMPORTANT INFORMATION ABOUT YOUR DRINKING WATER

Monitoring Requirements Not Met for La Mesa Water Coop

Este informe contiene información importante acerca de su agua potable. Haga que alguien lo traduzca para usted, o hable con alguien que lo entienda.

On 1/9/2017, we became aware that our system recently failed to collect monitoring samples required by the Stage 2 Disinfectants/Disinfection Byproducts Rule. Although this incident was not an emergency, as our customers, you have a right to know what happened, and what we are doing to correct the situation.

We are required to monitor your drinking water for specific contaminants on a regular basis. Results of regular monitoring are an indicator of whether or not our drinking water meets health standards. Table 1 list the contaminants and the compliance periods for which we did not monitor correctly. Because these samples were not collected, we cannot be sure of the quality of our drinking water during the compliance periods listed below.

Table 1

Contaminants	Sample Name (Address)	Sampling Frequency	Compliance Period(s)
Total Trihalomethanes and Haloacetic Acids	TTHM-1 – 124 Camino Manzano HAA5-1 – 10 3rd Mesa	Yearly	2014 System only collected TTHM-1 samples

What should you do?

There is nothing you need to do. You do not need to boil your water or take other corrective actions. You may continue to drink the water. If a situation arises where the water is no longer safe to drink, you will be notified within 24 hours.

What happened and what is being done?

There should have been a water sample taken at both 124 Camino Manzano and 10 Third Mesa, but a sample was only taken at 124 Camino Manzano. We resolved the problem in August, 2015, by taking water samples in both locations. We are now back in compliance with the rule.

For more information, please contact:

Hilda Penhallurick at 505-867-3335 or at:

La Mesa Water Coop, NM3500123
PO Box 53
Placitas, NM 87043

Please share this information with all the other people who drink this water, especially those who may not have received this notice directly (for example, people in apartments, nursing homes, schools, and businesses). You can do this by posting this notice in a public place or distributing copies by hand or mail.